

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application. Please amend claims 9, 11 and 16 and add new claims 19-21 as follows:

**LISTING OF CLAIMS:**

1. (Withdrawn) A method for producing mail pieces in a mail production apparatus, starting from physical postal items, comprising:
  - selecting a required operating condition of the mail production apparatus applying to the production of at least one mail piece;
  - determining at least one physical property to be realized manually of said required operating condition;
  - registering at least one current physical property of a current condition of said mail production apparatus;
  - determining a difference between said at least one current physical property and said at least one property to be realized manually of said required operating condition;
  - representing an indication associated with said difference in a humanly perceptible form;
  - manually changing said at least one current physical property, such that said difference is removed; and
  - composing said at least one mail piece from physical postal items with said mail production apparatus in said required operating condition.

2. (Withdrawn) A method according to claim 1, wherein at least one property of said current condition is determined by determining at least one property of a directly preceding operating condition.

3. (Withdrawn) A method according to claim 1, further comprising:  
determining operations to be performed manually for bringing said mail production apparatus from said current condition into said required operating condition; and

representing said operations to be performed manually in a humanly perceptible form.

4. (Withdrawn) A method according to claim 3, further comprising:  
each time after an operation has been performed, again registering the current condition of said mail production apparatus; and

representing in humanly perceptible form at least one residual operation of said operations to be performed.

5. (Withdrawn) A method according to claim 1, further comprising:  
determining types of physical postal items associated with said required operating condition;

registering physical postal items loaded into said mail production apparatus;  
determining a physical postal item type of said loaded physical postal items;  
and

determining a difference between types of physical postal items associated with said required operating condition and said types of loaded physical postal items; wherein representing said difference comprises representing at least one type of physical postal items to be loaded.

6. (Withdrawn) A method according to claim 5, further comprising representing at least one loading position for physical postal items of said at least one type that are to be loaded.

7. (Withdrawn) A method according to claim 5, wherein representing said at least one type of physical postal item types to be loaded is carried out by representing a property of physical postal items of said at least one type that are to be loaded.

8. (Withdrawn) A method according to claim 7, wherein loaded physical postal items are registered by said mail production apparatus by scanning and registering a property of each of the types of loaded physical postal items.

9. (Currently Amended) A computer program for supporting manual preparatory operations for operationalizing bringing a mail production apparatus into an operating condition required for production of a mail piece or a series of mail pieces, comprising instructions for:

determining data regarding ~~[[a]]~~ said required operating condition ~~applying to the production of at least one mail piece;~~

determining at least one physical property to be realized manually of said required operating condition;

registering at least one current physical property of a current condition of said mail production apparatus;

determining a difference between said at least one current physical property and said at least one property to be realized manually of said required operating condition; and

causing an indication associated with said difference to be represented in humanly perceptible form, and

subsequently causing said mail piece or said series of mail pieces to be prepared by said mail production apparatus in said operating condition.

10. (Original) An information carrier provided with machine-readable data constituting a computer program according to claim 9.

11. (Currently Amended) A mail production apparatus for producing mail pieces, starting from physical postal items, comprising:

at least one finishing assembly for producing physical mail pieces;

a sensor for registering a current physical property of a current condition of said at least one finishing assembly;

representation means; and

a control structure communicatively linked with said finishing assembly, said sensor and said representation means, said control structure being provided with code for:

determining data regarding ~~a required~~ an operating condition ~~applying to~~  
required for the production of at least one a mail piece or a series of mail pieces;

determining at least one physical property to be realized manually of said  
 required operating condition;

registering at least one current physical property of a current condition of said  
 finishing assembly;

determining a difference between said at least one current physical property  
 and said at least one property to be realized manually of said required operating  
 condition;

causing an indication associated with said difference to be represented by the  
 representation means; and

subsequently causing said ~~at least one~~ mail piece or said series of mail pieces  
 to be composed by said finishing assembly in said operating condition.

12. (Original) An apparatus according to claim 11, further comprising a  
 memory structure communicatively linked with said control structure for storing data  
 which represent a directly preceding operating condition, wherein said control  
 structure is further arranged for determining at least one property of said current  
 condition by determining at least one property of said directly preceding operating  
 condition.

13. (Original) An apparatus according to claim 11, wherein said control  
 structure is further arranged for determining operations to be performed manually for  
 bringing said finishing assembly from said current condition into said required

operating condition and representing said operations to be performed with said representation means in humanly perceptible form.

14. (Original) An apparatus according to claim 13, wherein said control structure is further arranged for registering the current condition again after the performance of one of said operations to be performed and representing in humanly perceptible form at least one residual operation of said operations to be performed.

15. (Original) An apparatus according to claim 11, further comprising an item sensor communicatively linked with said control structure, for registering loaded physical postal items, wherein said control structure is further arranged for determining physical postal item types associated with said required operating condition, registering loaded physical postal items, determining at least one type of said loaded physical postal items; and representing at least one type of physical postal items to be loaded.

16. (Currently Amended) An apparatus according to claim 15, wherein said control structure is further arranged for representing, by ~~[[with]]~~ said representation means, ~~in addition to the or each type of physical postal items to be loaded,~~ a loading position for physical postal items of that type to be loaded.

17. (Original) An apparatus according to claim 15, wherein said control structure is further arranged for representing a property of physical postal items of said type to be loaded.

18. (Original) An apparatus according to claim 15, wherein said item sensor is arranged for registering an item property of said loaded physical postal items.

19. (New) A computer program according to claim 9, wherein data regarding said required operating condition is determined prior to the preparation of the mail piece or series of mail pieces.

20. (New) A mail production apparatus according to claim 11, wherein data regarding said required operating condition is determined prior to the preparation of the mail piece or series of mail pieces.

21. (New) A mail production apparatus for producing mail pieces, starting from physical postal items, comprising:

at least one finishing assembly for producing physical mail pieces;

a sensor for registering a current physical property of a current condition of said at least one finishing assembly;

representation means; and

a control structure communicatively linked with said finishing assembly, said sensor and said representation means, said control structure being provided with code for bringing the mail production apparatus into an operating condition required for production of a mail or a series of mail pieces, the code for:

determining data regarding the operating condition required for the production of the mail piece or series of mail pieces;

determining at least one physical property to be realized manually of said required operating condition;

registering at least one current physical property of a current condition of said finishing assembly;

determining a difference between said at least one current physical property and said at least one property to be realized manually of said required operating condition;

causing an indication associated with said difference to be represented by the representation means; and

subsequently causing said mail piece or series of mail pieces to be composed by said finishing assembly in said operating condition.